Author Index

Aran, A., L35
Austin, M. W., 53

Balluffi, R. W., 1
Bande, H., L31
Bendersky, L., 151
Biancaniello, F. S., 151
Boettinger, W. J., 151

Carter, W. C., L41
Chaturvedi, M. C., 25, L7
Chou, C. C., 145

Darby, M. I., L19
Demirkol, M., L35
Dickson, J. I., L1, L31

Evans, G. R., L19

Farrington, G. C., 45

Glaeser, A. M., L41
Grant, N. J., 129

Han, Y., 25, L7
Handfield, L., L1
Hong, S. I., 63

Iwata, A., L25

Jones, B. C., L19

Karabulut, A., L35
Kim, G. S., 17
Kim, Y. G., 17
Kolkman, H. J., 81
Krell, A., 161

L'Espérance, G., L1, L31
Laird, C., 45, 63
Ledbetter, H. M., 53
Lederich, R. J., 169
Lee, C. S., 17
Lin, C. C., 145

Maršík, F., L21
Matyja, H., L11
Mazanec, K., L21
Meschter, P. J., 169
Mukherjee, A. K., 171

Nakagawa, Y. G., L15
Nix, W. D., 73

Ohta, Y., L15
Ortner, S. R., 45

Pandey, M. C., 171
Perepezko, J. H., 151
Polák, J., 35
Pompe, W., 161

Rühle, M., 1

Shen, P., 145
Smith, C. H., 103, 129
Strutt, P. R., L25
Sutton, A. P., 1

Tauqir, A., L25
Terashima, H., L15
Trattner, D., 93
Tsai, M. J., 145
Turenne, S., L1, L31

Varschavsky, A., 119

Wadsworth, J., 171
Walder, V., L21
Wang, J. S., 73

Zaluska, A., L11
Zehetbauer, M., 93

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Alloys
  Bauschinger effect in precipitation-strengthened aluminium alloy 2024, L35
  consolidation of a rapidly solidified titanium alloy by hot isostatic pressing, 103
  discussion of "Cavitation study in ingot and powder metallurgically processed superplastic Al–Li alloys", 169
  reply to "Discussion of 'Cavitation study in ingot and powder metallurgically processed superplastic Al–Li alloys' ", 171
Aluminium
  discussion of "Cavitation study in ingot and powder metallurgically processed superplastic Al–Li alloys", 169
  effects of stress-aided static recovery in iteratively cold-worked aluminium and copper, 93
  internal strain (stress) in an SiC–Al particle-reinforced composite: an X-ray diffraction study, 53
  reply to "Discussion of 'Cavitation study in ingot and powder metallurgically processed superplastic Al–Li alloys' ", 171
Aluminized coatings
  superlattice of the β phase in aluminized coatings in IN-713LC and MAR-M 247, 145

Bauschinger effect
  Bauschinger effect in precipitation-strengthened aluminium alloy 2024, L35
Boron
  current pulse heating of Co–Fe–Si–B metallic glass, L11

Carbides
  new concept in the evaluation of the stability of carbides, L21
Cavitation
  discussion of "Cavitation study in ingot and powder metallurgically processed superplastic Al–Li alloys", 169
  a reply to "Discussion of 'Cavitation study in ingot and powder metallurgically processed superplastic Al–Li alloys' ", 171
Ceramics
  influence of subcritical crack growth on the strength of ceramics, 161
Closed-loop servohydraulic systems
  machine-induced strain oscillations during fatigue tests with closed-loop servohydraulic systems, 63
Coated René 80
  creep, fatigue and their interaction in coated and uncoated René 80, 81
Coatings
  superlattice of the β phase in aluminized coatings in IN-713LC and MAR-M 247, 145
Cobalt
  current pulse heating of Co–Fe–Si–B metallic glass, L11
  low cycle fatigue behaviour of a cobalt-free tungsten-bearing maraging steel, 17
Cold-worked aluminium
  effects of stress-aided static recovery in iteratively cold-worked aluminium and copper, 93
Composite
  internal strain (stress) in an SiC–Al particle-reinforced composite: an X-ray diffraction study, 53
Computerized integration
  computerized integration of electron beam rapid solidification and heat treatment, L25
Continuous phases
  effect of finite amplitude perturbations on the stability of continuous phases, L41
Copper
  development of current transients during the life of a copper single crystal fatigued in a neutral oxidizing environment, 45
  effects of stress-aided static recovery in iteratively cold-worked aluminium and copper, 93
  ordering and solute segregation to dislocations in Cu–20at.%Mn, 119
  resistivity of fatigued copper single crystals, 35
Crack
  influence of subcritical crack growth on the strength of ceramics, 161
Creep
  creep, fatigue and their interaction in coated and uncoated René 80, 81
  effect of particle size on the creep rate of superalloy Inconel 718, L7
  numerical model for prediction of creep fracture, 73
  steady state creep deformation of superalloy Inconel 718, 25
Crystals
  development of current transients during the life of a copper single crystal fatigued in a neutral oxidizing environment, 45
  resistivity of fatigued copper single crystals, 35
Current transients
  development of current transients during the life of a copper single crystal fatigued in a neutral oxidizing environment, 45
Cyclic deformation
  occurrence of dislocation-free zones at grain boundaries and free surfaces during cyclic deformation, L31
  three-dimensional shape of loop patches produced by cyclic deformation, L1

© Elsevier Sequoia/Printed in The Netherlands

Deformation
occurrence of dislocation-free zones at grain boundaries and free surfaces during cyclic deformation, L31
steady state creep deformation of superalloy Inconel 718, 25
three-dimensional shape of loop patches produced by cyclic deformation, L1
Dislocation
occurrence of dislocation-free zones at grain boundaries and free surfaces during cyclic deformation, L31
Dislocations
ordering and solute segregation to dislocations in Cu-20at.%Mn, 119
Dislocation-free zones
occurrence of dislocation-free zones at grain boundaries and free surfaces during cyclic deformation, L31
Dispersion-stabilized superalloys
alternative approach to processing dispersion-stabilized superalloys, 129

Electron beam rapid solidification
computerized integration of electron beam rapid solidification and heat treatment, L25

Fatigue
creep, fatigue and their interaction in coated and uncoated René 80, 81
development of current transients during the life of a copper single crystal fatigued in a neutral oxidizing environment, 45
low cycle behaviour of a cobalt-free tungsten-bearing maraging steel, 17
machine-induced strain oscillations during fatigue tests with closed-loop servohydraulic systems, 63
resistivity of fatigued copper single crystals, 35
Finite amplitude perturbations
effect of finite amplitude perturbations on the stability of continuous phases, L41
Fracture
numerical model for prediction of creep fracture, 73

Grain boundaries
occurrence of dislocation-free zones at grain boundaries and free surfaces during cyclic deformation, L31

Hertz theory
parameters in the Hertz theory of contact between two bodies, L19
Hot isostatic press
consolidation of a rapidly solidified titanium alloy by hot isostatic pressing, 103
Heat treatment
computerized integration of electron beam rapid solidification and heat treatment, L25

Inconel-713LC
superlattice of the β phase in aluminized coatings in IN-713LC and MAR-M 247, 145
Inconel 718
steady state creep deformation of superalloy Inconel 718, 25
effect of particle size on the creep rate of superalloy Inconel 718, L7
Ingot
discussion of "Cavitation study in ingot and powder metallurgically processed superplastic Al-Li alloys", 169
Internal interfaces
structure of internal interfaces: report of a discussion meeting, 1
Iron
current pulse heating of Co-Fe-Si-B metallic glass, L11

Lithium
discussion of "Cavitation study in ingot and powder metallurgically processed superplastic Al-Li alloys", 169
reply to "Discussion of 'Cavitation study in ingot and powder metallurgically processed superplastic Al-Li alloys' ", 171
Loop patches
three-dimensional shape of loop patches produced by cyclic deformation, L1

Manganese
ordering and solute segregation to dislocations in Cu-20at.%Mn, 119
MAR-M 247
superlattice of the β phase in aluminized coatings in IN-713LC and MAR-M 247, 145
Maraging steel
low cycle fatigue behaviour of a cobalt-free tungsten-bearing maraging steel, 17
Metallic glass
current pulse heating of Co-Fe-Si-B metallic glass, L11
Microstructural
microstructural characterization of rapidly solidified Nb-Si alloys, 151

Nickel
β-Ni_4W phase precipitation in nickel-based superalloy, L15
Nickel-based superalloy
β-Ni_4W phase precipitation in nickel-based superalloy, L15
Niobium
microstructural characterization of rapidly solidified Nb-Si alloys, 151

Oxidizing
development of current transients during the life of a copper single crystal fatigued in a neutral oxidizing environment, 45

Particle size
effect of particle size on the creep rate of superalloy Inconel 718, L7
Powder
discussion of "Cavitation study in ingot and powder metallurgically processed superplastic Al-Li alloys", 169

reply to "Discussion of 'Cavitation study in ingot and powder metallurgically processed superplastic Al-Li alloys' ", 171
Precipitation-strengthened aluminium alloy 2024
Bauschinger effect in precipitation-strengthened aluminium alloy 2024, L35
Pulse heating
current pulse heating of Co-Fe-Si-B metallic glass, L11

Resistivity
resistivity of fatigued copper single crystals, 35

Silicon
current pulse heating of Co-Fe-Si-B metallic glass, L11
microstructural characterization of rapidly solidified Nb-Si alloys, 151
Silicon carbide
internal strain (stress) in an SiC-Al particle-reinforced composite: an X-ray diffraction study, 53
Solidified
microstructural characterization of rapidly solidified Nb-Si alloys, 151
Stability
new concept in the evaluation of the stability of carbides, L21
Static recovery
effects of stress-aided static recovery in iteratively cold-worked aluminium and copper, 93
Steady state
steady state creep deformation of superalloy Inconel 718, 25
Steels
low cycle fatigue behaviour of a cobalt-free tungsten-bearing maraging steel, 17
Strain
internal strain (stress) in an SiC-Al particle-reinforced composite: an X-ray diffraction study, 53
machine-induced oscillations during fatigue tests with closed-loop servohydraulic systems, 63
Strength
influence of subcritical crack growth on the strength of ceramics, 161
Stress
effects of stress-aided static recovery in iteratively cold-worked aluminium and copper, 93
internal strain (stress) in an SiC-Al particle-reinforced composite: an X-ray diffraction study,
Superalloys
alternative approach to processing dispersion-stabilized superalloys, 129
β-Ni_4W phase precipitation in nickel-based superalloy, L15
Superalloy Inconel 718
effect of particle size on the creep rate of superalloy Inconel 718, L7
steady state creep deformation of superalloy Inconel 718, 25
Superplastic Al-Li alloys
discussion of "Cavitation study in ingot and powder metallurgically processed superplastic Al-Li alloys", 169
a reply to "Discussion of 'Cavitation study in ingot and powder metallurgically processed superplastic Al-Li alloys' ", 171
Superlattice
superlattice of the β phase in aluminized coatings in IN-713LC and MAR-M 247, 145

Titanium
consolidation of a rapidly solidified titanium alloy by hot isostatic pressing, 103
Tungsten
low cycle fatigue behaviour of a cobalt-free tungsten-bearing maraging steel, 17

Uncoated René 80
creep, fatigue and their interaction in coated and uncoated René 80, 81

X-ray diffraction
internal strain (stress) in an SiC-Al particle-reinforced composite: an X-ray diffraction study, 53

MATERIALS SCIENCE AND ENGINEERING VOL. 89 MAY 1987

CONTENTS

SPECIAL REVIEW

The structure of internal interfaces: report of a discussion meeting 1
R. W. Balluffi (Cambridge, MA, U.S.A.), M. Rühle (Santa Barbara, CA, U.S.A.) and A. P. Sutton (Oxford, U.K.)

Low cycle fatigue behaviour of a cobalt-free tungsten-bearing maraging steel 17
Y. G. Kim, C. S. Lee and G. S. Kim (Seoul, South Korea)

Steady state creep deformation of superalloy Inconel 718 25
Y. Han and M. C. Chaturvedi (Winnipeg, Manitoba, Canada)

Resistivity of fatigued copper single crystals 35
J. Polák (Brno, Czechoslovakia)

The development of current transients during the life of a copper single crystal fatigued in a neutral oxidizing environment 45
S. R. Ortner, C. Laird and G. C. Farrington (Philadelphia, PA, U.S.A.)

Internal strain (stress) in an SiC–Al particle-reinforced composite: an X-ray diffraction study 53
H. M. Ledbetter and M. W. Austin (Boulder, CO, U.S.A.)

Machine-induced strain oscillations during fatigue tests with closed-loop servohydraulic systems 63
S. I. Hong and C. Laird (Philadelphia, PA, U.S.A.)

A numerical model for prediction of creep fracture 73
J. S. Wang and W. D. Nix (Stanford, CA, U.S.A.)

Creep, fatigue and their interaction in coated and uncoated René 80 81
H. J. Kolkman (Emmeloord, The Netherlands)

Effects of stress-aided static recovery in iteratively cold-worked aluminium and copper 93
M. Zehetbauer and D. Trattner (Vienna, Austria)

Consolidation of a rapidly solidified titanium alloy by hot isostatic pressing 103
C. H. Smith (Schenectady, NY, U.S.A.)

Ordering and solute segregation to dislocations in Cu–20at.%Mn 119
A. Varschavsky (Santiago, Chile)

An alternative approach to processing dispersion-stabilized superalloys 129
C. H. Smith (Schenectady, NY, U.S.A.) and N. J. Grant (Cambridge, MA, U.S.A.)

Superlattice of the β phase in aluminized coatings in IN-713LC and MAR-M 247 145
P. Shen, C. C. Chou, M. J. Tsai and C. C. Lin (Kaohsiung, Taiwan)

Microstructural characterization of rapidly solidified Nb–Si alloys 151
L. Bendersky, F. S. Biancaniello, W. J. Boettinger (Gaithersburg, MD, U.S.A.) and J. H. Perepezko (Madison, WI, U.S.A.)

The influence of subcritical crack growth on the strength of ceramics 161
A. Krell and W. Pompe (Dresden, G.D.R.)

CORRESPONDENCE

Discussion of "Cavitation study in ingot and powder metallurgically processed superplastic Al–Li alloys" . . 169
P. J. Meschter and R. J. Lederich (St. Louis, MO, U.S.A.)

A reply to "Discussion of 'Cavitation study in ingot and powder metallurgically processed superplastic Al–Li alloys'" 171
M. C. Pandey (Hyderabad, India), J. Wadsworth (Palo Alto, CA, U.S.A.) and A. K. Mukherjee (Davis, CA, U.S.A.)

CONFERENCE CALENDAR 175

LETTERS

The three-dimensional shape of loop patches produced by cyclic deformation L1
J. I. Dickson, L. Handfield, S. Turenne and G. L'Espérance (Montreal, Quebec, Canada)

Effect of particle size on the creep rate of superalloy Inconel 718 . . . . . L7
M. C. Chaturvedi and Y. Han (Winnipeg, Manitoba, Canada)

Current pulse heating of Co–Fe–Si–B metallic glass L11
A. Zaluska and H. Matyja (Warsaw, Poland)

β-Ni_4W phase precipitation in nickel-based superalloy L15
H. Terashima, Y. Ohta and Y. G. Nakagawa (Tokyo, Japan)

Parameters in the Hertz theory of contact between two bodies L19
M. I. Darby, G. R. Evans and B. C. Jones (Salford, U.K.)

(continued on inside back cover)